ELSEVIER

www.elsevier.nl/locate/jorganchem

Journal of Organometallic Chemistry 603 (2000) 258

Journal of Organometallic Chemistry

Author Index of Volume 603

Abboud, K.A., 213
Adams, R.D., 1
Aeby, A., 122
Akisanya, J., 240
Albert, J., 235
Alexandrova, L., 225
Anderson, J.R., 80
Andersson, P.G., 13
Antiñolo, A., 194
Arroyo, N., 174
Averina, E.B., 138

Beerens, H.I., 244
Belsky, V.K., 167
Bertilsson, S.K., 13
Blanc, D., 128
Boncella, J.M., 213
Börner, A., 61
Borns, S., 61
Bozkurt, Ç., 252
Bremberg, U., 2
Brown, M.A., 203
Brunner, H., 135
Bulychev, B.M., 167

Cadena, J.M., 235
Campi, E.M., 80
Carrillo-Hermosilla, F., 194
Chen, H., 189
Chung, K.-G., 40
Churakov, A.V., 86
Colligan, P.B., 86
Consiglio, G., 122

Danks, T.N., 240
de Araújo Felix, L., 203
Delgado, S., 235
Deng, M.-Z., 189
de Oliveira, C.A.F., 203
Dickson, R.S., 80
Doufou, P., 213
Dunina, V.V., 86, 138

El-Qisairi, A., 50

Fache, F., 30
Farwell, J.D., 185
Fernández-Baeza, J., 194
Fischer, C., 116
Fridgen, J., 69
Furukawa, I., 6

García, M., 225
García-Yuste, S., 194
Garman, R.N., 240
Genêt, J.-P., 1, 128
Gillet, J.-P., 128
Gómez-de la Torre, F., 174
Gorunova, O.N., 138
Granell, J., 235
Grishin, Y.K., 138
Gsponer, A., 122
Guiry, P.J., 110
Guo, M.-P., 249

Haagenson, D.C., 86
Haider, J.J., 69
Hallberg, A., 2
Hashizume, T., 40
Heller, D., 61
Henry, P.M., 50
Hernandes, M.Z., 203
Herrmann, W.A., 69
Holz, J., 61
Hori, K., 6
Howard, J.A.K., 138
Huang, X., 249

Ito, J., 6
Ito, Y., 18

Jackson, W.R., 80
Jalón, F.A., 174
Jamis, J., 80
Jastrzebski, J.T.B.H., 244

Kadyrov, R., 61
Kaiser, N.-F.K., 2
Kataeva, N.A., 86
Keuseman, K.J., 86
Kim, Y.-J., 152
Kodama, H., 6
Koy, C., 116
Kross, R.K., 203
Kuwano, R., 18
Kuz'mina, L.G., 86, 138
Kwak, Y.-S., 152

Lappert, M.F., 185
Larhed, M., 2
Lee, S.-W., 152
Lemaire, M., 30
Lobmaier, G.M., 69
Longo, E., 203

Malone, Y.M., 110
Manzano, B.R., 174
Marschner, C., 185
Martínez, A., 225
Martyn, L.J.P., 98
Michalik, D., 116
Miyazaki, H., 18
Moberg, C., 2
Moran, P.J.S., 220
Moreno-Lara, B., 174
Mori, K., 40

Ohe , K., 40
Ohta, T., 6
Otero, A., 194

Palomares, E., 194
Pandiaraju, S., 98
Patrocínio, A.F., 220
Peppe, C., 203

Ratovelomanana-Vidal, V., 128
Reetz, M.T., 105
Rodríguez, A.M., 174
Rodriguez, A.M., 194
Roesky, P.W., 161

Salcedo, R., 225
Saluzzo, C., 30
Sánchez-Barba, L.F., 194
Sansores, L.E., 225
Schulz, E., 30
Sensato, F.R., 203
Sizov, A.I., 167
Smoliakova, I.P., 86
Sostmann, S., 105
Sperrle, M., 122
Spiegler, M., 69
Strissel, C., 185

ter Halle, R., 30
Tillack, A., 116
Tilley, T.D., 185
Touchard, F., 30
Tuck, D.G., 203

Uemura , S., 40

van Koten, G., 244
Verdonck, L., 244
Verpoort, F., 244

Wachter, J., 135
Wanninger, R., 135
Wellmann, D.M., 86
Wijkens, P., 244

Yonehara, K., 40
Yudin, A.K., 98

Zabel, M., 135
Zhong, P., 249
Zvukova, T.M., 167

PII: S0022-328X(00)00300-4

ELSEVIER

www.elsevier.nl/locate/jorganchem

Journal of Organometallic Chemistry 603 (2000) 259–263

Journal of Organometallic Chemistry

Subject Index of Volume 603

Aldol condensation
Aldol-type condensation reactions of cyclic ketones by the $W(CO)_6/CCl_4$/UV system, 252
Aldol reaction
Asymmetric aldol reaction of 2-cyanopropionates catalyzed by a trans-chelating chiral diphosphine–rhodium(I) complex: highly enantioselective construction of quaternary chiral carbon centers at α-positions of nitriles, 18
Alkoxy
Studies on the reactivity of alkoxo-niobium(V) compounds towards *O,O*- or *S,S*-enolate ligands. Synthesis and structural characterisation of (alkoxo)(β-diketonato)- and (alkoxo)[dialkyl(aryl)dithiocarbamato] complexes of niobium(V), 194
Alkynylborates
Nickel-catalyzed allylation of lithium 1-alkynyl(trialkoxy)borates with 1,3-disubstituted allyl carbonates, 189
Alkynylstannane
Stereoselective preparation of (*Z*)-α-stannyl-1-alkenyl sulfoxides via hydrozirconation of acetylenic stannanes, 249
Allyl carbonate
Nickel-catalyzed allylation of lithium 1-alkynyl(trialkoxy)borates with 1,3-disubstituted allyl carbonates, 189
Allylic alkylation
Microwave-mediated palladium-catalyzed asymmetric allylic alkylation; an example of highly selective fast chemistry, 2
Allylic amination
The application of Pd-complexes of diphenylphosphinoferrocenyl-oxazoline ligands to catalytic enantioselective allylic amination, 110
Allylic substitution
Kinetic resolution in Pd-catalyzed allylic substitution using the helical PHelix ligand, 105
Aluminium
Synthesis and properties of unsolvated bis(cyclopentadienyl)-titanium alumohydride. Structure of $\{[(\eta^5\text{-}C_5H_5)_2Ti(\mu\text{-}H)]_2[(\eta^5\text{-}C_5H_5)Ti(\mu\text{-}H_2]Al_3(\mu\text{-}H_4)(H)\}_2{\cdot}C_6H_6$ a 12-nuclear titanium aluminum hydride complex with a short Al–Al bond length, and refined structure of $LiAlEt_4$, 167
Amine elimination
Synthesis and characterization of organozirconium complexes bearing a new trianionic multidentate cyclopentadienyl ligand by use of amine elimination, 213
Aminotroponiminate
Bridged aminotroponiminate complexes of lutetium, 161
Aqueous solution
Aqueous enantioselective hydrogenations involving silica-heterogenised catalysts, 80
Aroylsilanes
Synthesis of acylsilanes via oxidative hydrolysis of 2-silyl-1,3-dithianes mediated by *N*-bromosuccinimide, 220
A sisyl-Grignard reagent
The first structurally characterised oligosilylmagnesium compound, 185
Asymmetric
Oxidation of olefins by palladium(II): Part 17. An asymmetric chlorohydrin synthesis catalyzed by a bimetallic palladium(II) complex, 50
Asymmetric catalysis
A rigid dirhodium(II) carboxylate as an efficient catalyst for the asymmetric cyclopropanation of olefins, 13
Chiral molybdenum(VI) and tungsten(VI) 2′-pyridinyl alcoholate complexes. Synthesis, structure and catalytic properties in asymmetric olefin epoxidation, 69
Kinetic resolution in Pd-catalyzed allylic substitution using the helical PHelix ligand, 105
Palladium-catalyzed asymmetric intermolecular arylation of cyclic or acyclic alkenes using phosphinite-oxazoline ligands derived from D-glucosamine, 40
Recent progress in asymmetric heterogeneous catalysis: use of polymer-supported catalysts, 30
Asymmetric hydrogenation
Aqueous enantioselective hydrogenations involving silica-heterogenised catalysts, 80
Asymmetric hydrosilylation
A new asymmetric synthesis of optically active allenes via metal catalyzed hydrosilylation, 116
Asymmetric synthesis
Cooperative attractive interactions in asymmetric hydrogenations with dihydroxydiphosphine Rh(I) catalysts — a competition study, 61
(1-Azabuta-1,3-diene)tricarbonyliron(0)
Reaction of (1-azabuta-1,3-diene)tricarbonyliron(0) complexes with sodium borohydride under microwave conditions, 240
Azido
Synthesis and properties of arylpalladium(II) azido complexes $PdAr(N_3)(PR_3)_2$. Nucleophilic reactions of the azido ligand with CO and with isocyanides to afford Pd(II) isocyanate, *C*-tetrazolate and carbodiimide complexes, 152

Benzylamines
Competition between sp^3 and sp^2 C–H bonds in cyclopalladation of *N*-methyl-α-*tert*-butylbenzylamine, 138
BINOL
Catalytic applications of F_8BINOL: asymmetric oxidation of sulfides to sulfoxides, 98
3,3′-bis(2-oxazolyl)-1,1′-bi-2-naphthols
Lanthanide-catalyzed asymmetric 1,3-dipolar cycloaddition of nitrones to alkenes using 3,3′-bis(2-oxazolyl)-1,1′-bi-2-naphthol (BINOL-Box) ligands, 6
Bis-pyrazolylmethane
New palladium complexes with rigid scorpion-type ligands. Crystal structure of complexes $[Pd(\eta^3\text{-}2\text{-}CH_3\text{–}C_3H_4)(bpz^*mPh)](CF_3SO_3)$ and $[Pd(bpz^*mpy)_2](BF_4)_2$. bpz*-mPh = phenyl-bis(3,5-dimethylpyrazol-1-yl)methane; bpz*-mpy = pyridin-2-yl-bis(3,5-dimethylpyrazol-1-yl)methane, 174
N-Bromosuccinimide
Synthesis of acylsilanes via oxidative hydrolysis of 2-silyl-1,3-dithianes mediated by *N*-bromosuccinimide, 220

PII: S0022-328X(00)00301-6

Butadiynes
A new asymmetric synthesis of optically active allenes via metal catalyzed hydrosilylation, 116

Carbodiimide
Synthesis and properties of arylpalladium(II) azido complexes $PdAr(N_3)(PR_3)_2$. Nucleophilic reactions of the azido ligand with CO and with isocyanides to afford Pd(II) isocyanate, *C*-tetrazolate and carbodiimide complexes, 152
Carbon monoxide copolymers
Enantioface discriminating carbonylations of styrene with cationic palladium(II) catalyst precursors, 122
Carbonylation
Enantioface discriminating carbonylations of styrene with cationic palladium(II) catalyst precursors, 122
Carbosilane dendrimers
Coordination of a Ru(II)-complex to a tetrafunctional P-ligand: a model for Ru–P carbosilane dendrimers, 244
Catalysis
Oxidation of olefins by palladium(II): Part 17. An asymmetric chlorohydrin synthesis catalyzed by a bimetallic palladium(II) complex, 50
Catalysts
Synthesis and properties of unsolvated bis(cyclopentadienyl)-titanium alumohydride. Structure of $\{[(\eta^5\text{-}C_5H_5)_2Ti(\mu\text{-}H)]_2[(\eta^5\text{-}C_5H_5)Ti(\mu\text{-}H_2]Al_3(\mu\text{-}H_4)(H)\}_2{\cdot}C_6H_6$ a 12-nuclear titanium aluminum hydride complex with a short Al–Al bond length, and refined structure of $LiAlEt_4$, 167
Catalytic applications
Catalytic applications of F_8BINOL: asymmetric oxidation of sulfides to sulfoxides, 98
Catalytic asymmetric synthesis
Asymmetric aldol reaction of 2-cyanopropionates catalyzed by a trans-chelating chiral diphosphine–rhodium(I) complex: highly enantioselective construction of quaternary chiral carbon centers at α-positions of nitriles, 18
Chiral allenes
A new asymmetric synthesis of optically active allenes via metal catalyzed hydrosilylation, 116
Chiral hydrogenation
Asymmetric synthesis of fluorinated β-hydroxy esters via ruthenium-mediated hydrogenation, 128
Chiral phosphines
A new asymmetric synthesis of optically active allenes via metal catalyzed hydrosilylation, 116
Chlorohydrins
Oxidation of olefins by palladium(II): Part 17. An asymmetric chlorohydrin synthesis catalyzed by a bimetallic palladium(II) complex, 50
Cooperative effect
Cooperative attractive interactions in asymmetric hydrogenations with dihydroxydiphosphine Rh(I) catalysts — a competition study, 61
Coordination chemistry
Bridged aminotroponiminate complexes of lutetium, 161
Cross-coupling
Nickel-catalyzed allylation of lithium 1-alkynyl(trialkoxy)borates with 1,3-disubstituted allyl carbonates, 189
Crystal structure
Competition between sp^3 and sp^2 C–H bonds in cyclopalladation of *N*-methyl-α-*tert*-butylbenzylamine, 138
Synthesis and properties of unsolvated bis(cyclopentadienyl)titanium alumohydride. Structure of $\{[(\eta^5\text{-}C_5H_5)_2Ti(\mu\text{-}H)]_2[(\eta^5\text{-}C_5H_5)Ti(\mu\text{-}H_2]Al_3(\mu\text{-}H_4)(H)\}_2{\cdot}C_6H_6$ a 12-nuclear titanium aluminum hydride complex with a short Al–Al bond length, and refined structure of $LiAlEt_4$, 167
Crystal structure determination
Preparation, crystal structure determination and properties of adducts of indium methylene compounds with Group 15 donors, 203
Cyclic ketones
Aldol-type condensation reactions of cyclic ketones by the $W(CO)_6/CCl_4$/UV system, 252
Cyclopalladated complexes
Direct *ortho*-palladation of 2-phenyl-2-oxazoline: Crystal structure of $Cl_2Pd(\overline{OCH_2CH_2N{=}C}\text{–}Ph)_2$ and $Cl(PPh_3)Pd\text{-}(\overline{OCH_2CH_2N{=}C}\text{–}C_6H_4)$, 86
Cyclopalladation
Competition between sp^3 and sp^2 C–H bonds in cyclopalladation of *N*-methyl-α-*tert*-butylbenzylamine, 138
Cyclopentadienyldiamide
Synthesis and characterization of organozirconium complexes bearing a new trianionic multidentate cyclopentadienyl ligand by use of amine elimination, 213
[2*n*] cyclophanes
Manganese (I) complexes of *p*-xylene and [2*n*] cyclophanes from a theoretical sight, 225
Cyclopropanation
A rigid dirhodium(II) carboxylate as an efficient catalyst for the asymmetric cyclopropanation of olefins, 13

Diphenylphosphinoferrocenyloxazoline ligands
The application of Pd-complexes of diphenylphosphinoferrocenyloxazoline ligands to catalytic enantioselective allylic amination, 110
1,3-Dipolar
Lanthanide-catalyzed asymmetric 1,3-dipolar cycloaddition of nitrones to alkenes using 3,3′-bis(2-oxazolyl)-1,1′-bi-2-naphthol (BINOL-Box) ligands, 6
1,3-Dithianes
Synthesis of acylsilanes via oxidative hydrolysis of 2-silyl-1,3-dithianes mediated by *N*-bromosuccinimide, 220
Dithiocarbamate
Studies on the reactivity of alkoxo-niobium(V) compounds towards *O,O*- or *S,S*-enolate ligands. Synthesis and structural characterisation of (alkoxo)(β-diketonato)- and (alkoxo)[dialkyl(aryl)dithiocarbamato] complexes of niobium(V), 194

Enantioselective catalysis
Enantioface discriminating carbonylations of styrene with cationic palladium(II) catalyst precursors, 122
Enantioselectivity
Microwave-mediated palladium-catalyzed asymmetric allylic alkylation; an example of highly selective fast chemistry, 2
Enolate ligands
Studies on the reactivity of alkoxo-niobium(V) compounds towards *O,O*- or *S,S*-enolate ligands. Synthesis and structural characterisation of (alkoxo)(β-diketonato)- and (alkoxo)[dialkyl(aryl)dithiocarbamato] complexes of niobium(V), 194
Epoxidation
Chiral molybdenum(VI) and tungsten(VI) 2′-pyridinyl alcoholate complexes. Synthesis, structure and catalytic properties in asymmetric olefin epoxidation, 69

Fast chemistry
Microwave-mediated palladium-catalyzed asymmetric allylic alkylation; an example of highly selective fast chemistry, 2
Fluoroorganic compounds
Asymmetric synthesis of fluorinated β-hydroxy esters via ruthenium-mediated hydrogenation, 128

Fluxional behaviour
New palladium complexes with rigid scorpion-type ligands. Crystal structure of complexes $[Pd(\eta^3\text{-}2\text{-}CH_3\text{–}C_3H_4)(bpz^*mPh)](CF_3SO_3)$ and $[Pd(bpz^*mpy)_2](BF_4)_2$. bpz*-mPh = phenyl-bis(3,5-dimethylpyrazol-1-yl)methane; bpz*-mpy = pyridin-2-yl-bis(3,5-dimethylpyrazol-1-yl)methane, 174

D-Glucosamine
Palladium-catalyzed asymmetric intermolecular arylation of cyclic or acyclic alkenes using phosphinite-oxazoline ligands derived from D-glucosamine, 40
Group 15 donors
Preparation, crystal structure determination and properties of adducts of indium methylene compounds with Group 15 donors, 203

Helicity
Kinetic resolution in Pd-catalyzed allylic substitution using the helical PHelix ligand, 105
Heterogeneous catalysis
Recent progress in asymmetric heterogeneous catalysis: use of polymer-supported catalysts, 30
Heterogenised catalyst
Aqueous enantioselective hydrogenations involving silica-heterogenised catalysts, 80
Hydride
Synthesis and properties of unsolvated bis(cyclopentadienyl)-titanium alumohydride. Structure of $\{[(\eta^5\text{-}C_5H_5)_2Ti(\mu\text{-}H)]_2[(\eta^5\text{-}C_5H_5)Ti(\mu\text{-}H_2]Al_3(\mu\text{-}H_4)(H)\}_2\cdot C_6H_6$ a 12-nuclear titanium aluminum hydride complex with a short Al–Al bond length, and refined structure of $LiAlEt_4$, 167
Hydrogenation
Cooperative attractive interactions in asymmetric hydrogenations with dihydroxydiphosphine Rh(I) catalysts — a competition study, 61
Synthesis and properties of unsolvated bis(cyclopentadienyl)-titanium alumohydride. Structure of $\{[(\eta^5\text{-}C_5H_5)_2Ti(\mu\text{-}H)]_2[(\eta^5\text{-}C_5H_5)Ti(\mu\text{-}H_2]Al_3(\mu\text{-}H_4)(H)\}_2\cdot C_6H_6$ a 12-nuclear titanium aluminum hydride complex with a short Al–Al bond length, and refined structure of $LiAlEt_4$, 167
Hydrometallation
Synthesis and properties of unsolvated bis(cyclopentadienyl)-titanium alumohydride. Structure of $\{[(\eta^5\text{-}C_5H_5)_2Ti(\mu\text{-}H)]_2[(\eta^5\text{-}C_5H_5)Ti(\mu\text{-}H_2]Al_3(\mu\text{-}H_4)(H)\}_2\cdot C_6H_6$ a 12-nuclear titanium aluminum hydride complex with a short Al–Al bond length, and refined structure of $LiAlEt_4$, 167
Hydroxyphosphines
Synthesis and resolution of a new P-chiral hydroxy phosphine, 235
Hydrozirconation
Stereoselective preparation of (*Z*)-α-stannyl-1-alkenyl sulfoxides via hydrozirconation of acetylenic stannanes, 249

Indium methylene compounds
Preparation, crystal structure determination and properties of adducts of indium methylene compounds with Group 15 donors, 203
Intermolecular arylation
Palladium-catalyzed asymmetric intermolecular arylation of cyclic or acyclic alkenes using phosphinite-oxazoline ligands derived from D-glucosamine, 40
Iron
Synthesis and molecular structure of $[Fe_3(\mu_2\text{-}H)(\mu_3\text{-}Te)(CO)_9][Cp^{\#}_2Nb(CO)_2]$ ($Cp^{\#} = C_5Me_5$, C_5Me_4Et), 135
Isocyanate
Synthesis and properties of arylpalladium(II) azido complexes $PdAr(N_3)(PR_3)_2$. Nucleophilic reactions of the azido ligand with CO and with isocyanides to afford Pd(II) isocyanate, *C*-tetrazolate and carbodiimide complexes, 152
Isoxazolidine
Lanthanide-catalyzed asymmetric 1,3-dipolar cycloaddition of nitrones to alkenes using 3,3′-bis(2-oxazolyl)-1,1′-bi-2-naphthol (BINOL-Box) ligands, 6

Kinetic resolution
Kinetic resolution in Pd-catalyzed allylic substitution using the helical PHelix ligand, 105

Lanthanide catalysis
Lanthanide-catalyzed asymmetric 1,3-dipolar cycloaddition of nitrones to alkenes using 3,3′-bis(2-oxazolyl)-1,1′-bi-2-naphthol (BINOL-Box) ligands, 6
Lanthanides
Bridged aminotroponiminate complexes of lutetium, 161

N-Ligands
Bridged aminotroponiminate complexes of lutetium, 161
Lutetium
Bridged aminotroponiminate complexes of lutetium, 161

Magnesium
The first structurally characterised oligosilylmagnesium compound, 185
Manganese (I)
Manganese (I) complexes of *p*-xylene and [2*n*] cyclophanes from a theoretical sight, 225
Metalations
Coordination of a Ru(II)-complex to a tetrafunctional P-ligand: a model for Ru–P carbosilane dendrimers, 244
Metal carbenes
Aldol-type condensation reactions of cyclic ketones by the $W(CO)_6/CCl_4$/UV system, 252
Metal carbonyls
Aldol-type condensation reactions of cyclic ketones by the $W(CO)_6/CCl_4$/UV system, 252
Metallacycles
Synthesis and resolution of a new P-chiral hydroxy phosphine, 235
Metallocene
Synthesis and properties of unsolvated bis(cyclopentadienyl)-titanium alumohydride. Structure of $\{[(\eta^5\text{-}C_5H_5)_2Ti(\mu\text{-}H)]_2[(\eta^5\text{-}C_5H_5)Ti(\mu\text{-}H_2]Al_3(\mu\text{-}H_4)(H)\}_2\cdot C_6H_6$ a 12-nuclear titanium aluminum hydride complex with a short Al–Al bond length, and refined structure of $LiAlEt_4$, 167
ansa-Metallocene
Synthesis and characterization of organozirconium complexes bearing a new trianionic multidentate cyclopentadienyl ligand by use of amine elimination, 213
Microwave
Reaction of (1-azabuta-1,3-diene)tricarbonyliron(0) complexes with sodium borohydride under microwave conditions, 240
Microwave chemistry
Microwave-mediated palladium-catalyzed asymmetric allylic alkylation; an example of highly selective fast chemistry, 2
Molecular orbital
Manganese (I) complexes of *p*-xylene and [2*n*] cyclophanes from a theoretical sight, 225
Molybdenum
Chiral molybdenum(VI) and tungsten(VI) 2′-pyridinyl alcoholate complexes. Synthesis, structure and catalytic properties in asymmetric olefin epoxidation, 69

Nickel catalysts
Nickel-catalyzed allylation of lithium 1-alkynyl(trialkoxy)borates with 1,3-disubstituted allyl carbonates, 189

Nickel complexes
A new asymmetric synthesis of optically active allenes via metal catalyzed hydrosilylation, 116
Niobium
Studies on the reactivity of alkoxo-niobium(V) compounds towards *O,O*- or *S,S*-enolate ligands. Synthesis and structural characterisation of (alkoxo)(β-diketonato)- and (alkoxo)[dialkyl(aryl)dithiocarbamato] complexes of niobium(V), 194
Niobocene carbonyl
Synthesis and molecular structure of $[Fe_3(\mu_2\text{-}H)(\mu_3\text{-}Te)(CO)_9][Cp_2^{\#}Nb(CO)_2]$ ($Cp^{\#} = C_5Me_5$, C_5Me_4Et), 135
Nuclear Overhauser effect
Competition between sp^3 and sp^2 C–H bonds in cyclopalladation of *N*-methyl-α-*tert*-butylbenzylamine, 138

Olefins
Enantioface discriminating carbonylations of styrene with cationic palladium(II) catalyst precursors, 122
Oxidation of olefins by palladium(II): Part 17. An asymmetric chlorohydrin synthesis catalyzed by a bimetallic palladium(II) complex, 50
Organozirconocene compound
Stereoselective preparation of (*Z*)-α-stannyl-1-alkenyl sulfoxides via hydrozirconation of acetylenic stannanes, 249
Oxidation
Synthesis of acylsilanes via oxidative hydrolysis of 2-silyl-1,3-dithianes mediated by *N*-bromosuccinimide, 220

Palladacycle conformation
Competition between sp^3 and sp^2 C–H bonds in cyclopalladation of *N*-methyl-α-*tert*-butylbenzylamine, 138
Palladium
New palladium complexes with rigid scorpion-type ligands. Crystal structure of complexes $[Pd(\eta^3\text{-}2\text{-}CH_3\text{–}C_3H_4)(bpz^*mPh)](CF_3SO_3)$ and $[Pd(bpz^*mpy)_2](BF_4)_2$. bpz*-mPh = phenyl-bis(3,5-dimethylpyrazol-1-yl)methane; bpz*-mpy = pyridin-2-yl-bis(3,5-dimethylpyrazol-1-yl)methane, 174
Synthesis and properties of arylpalladium(II) azido complexes $PdAr(N_3)(PR_3)_2$. Nucleophilic reactions of the azido ligand with CO and with isocyanides to afford Pd(II) isocyanate, *C*-tetrazolate and carbodiimide complexes, 152
Synthesis and resolution of a new P-chiral hydroxy phosphine, 235
Palladium-catalysis
Microwave-mediated palladium-catalyzed asymmetric allylic alkylation; an example of highly selective fast chemistry, 2
Palladium catalysis
The application of Pd-complexes of diphenylphosphinoferrocenyloxazoline ligands to catalytic enantioselective allylic amination, 110
Palladium complexes
Enantioface discriminating carbonylations of styrene with cationic palladium(II) catalyst precursors, 122
Palladium(II)
Oxidation of olefins by palladium(II): Part 17. An asymmetric chlorohydrin synthesis catalyzed by a bimetallic palladium(II) complex, 50
P-chiral
Synthesis and resolution of a new P-chiral hydroxy phosphine, 235
Pd-catalysis
Kinetic resolution in Pd-catalyzed allylic substitution using the helical PHelix ligand, 105

2-Phenyl-2-oxazoline
Direct *ortho*-palladation of 2-phenyl-2-oxazoline: Crystal structure of $Cl_2Pd(\overline{OCH_2CH_2N{=}C}\text{–}Ph)_2$ and $Cl(PPh_3)Pd(\overline{OCH_2CH_2N{=}C}\text{–}C_6H_4)$, 86
Phosphines
Cooperative attractive interactions in asymmetric hydrogenations with dihydroxydiphosphine Rh(I) catalysts — a competition study, 61
Coordination of a Ru(II)-complex to a tetrafunctional P-ligand: a model for Ru–P carbosilane dendrimers, 244
Phosphinite-oxazoline ligand
Palladium-catalyzed asymmetric intermolecular arylation of cyclic or acyclic alkenes using phosphinite-oxazoline ligands derived from D-glucosamine, 40
Photochemistry
Aldol-type condensation reactions of cyclic ketones by the $W(CO)_6/CCl_4$/UV system, 252
Polymers
Recent progress in asymmetric heterogeneous catalysis: use of polymer-supported catalysts, 30
2′-Pyridinyl alcoholate
Chiral molybdenum(VI) and tungsten(VI) 2′-pyridinyl alcoholate complexes. Synthesis, structure and catalytic properties in asymmetric olefin epoxidation, 69

Reduction
Reaction of (1-azabuta-1,3-diene)tricarbonyliron(0) complexes with sodium borohydride under microwave conditions, 240
Regioselectivity
Competition between sp^3 and sp^2 C–H bonds in cyclopalladation of *N*-methyl-α-*tert*-butylbenzylamine, 138
Resolution
Synthesis and resolution of a new P-chiral hydroxy phosphine, 235
Rhodium
Aqueous enantioselective hydrogenations involving silica-heterogenised catalysts, 80
A rigid dirhodium(II) carboxylate as an efficient catalyst for the asymmetric cyclopropanation of olefins, 13
Cooperative attractive interactions in asymmetric hydrogenations with dihydroxydiphosphine Rh(I) catalysts — a competition study, 61
Rhodium complex
Asymmetric aldol reaction of 2-cyanopropionates catalyzed by a trans-chelating chiral diphosphine–rhodium(I) complex: highly enantioselective construction of quaternary chiral carbon centers at α-positions of nitriles, 18
Rhodium complexes
A new asymmetric synthesis of optically active allenes via metal catalyzed hydrosilylation, 116
Rigidity
New palladium complexes with rigid scorpion-type ligands. Crystal structure of complexes $[Pd(\eta^3\text{-}2\text{-}CH_3\text{–}C_3H_4)(bpz^*mPh)](CF_3SO_3)$ and $[Pd(bpz^*mpy)_2](BF_4)_2$. bpz*-mPh = phenyl-bis(3,5-dimethylpyrazol-1-yl)methane; bpz*-mpy = pyridin-2-yl-bis(3,5-dimethylpyrazol-1-yl)methane, 174
Ruthenium
Aqueous enantioselective hydrogenations involving silica-heterogenised catalysts, 80
Ruthenium catalysts
Asymmetric synthesis of fluorinated β-hydroxy esters via ruthenium-mediated hydrogenation, 128

Ruthenium(II)-complexes
Coordination of a Ru(II)-complex to a tetrafunctional P-ligand: a model for Ru–P carbosilane dendrimers, 244
Scorpion
New palladium complexes with rigid scorpion-type ligands. Crystal structure of complexes $[Pd(\eta^3\text{-}2\text{-}CH_3\text{–}C_3H_4)(bpz^*mPh)](CF_3SO_3)$ and $[Pd(bpz^*mpy)_2](BF_4)_2$. bpz*-mPh = phenyl-bis(3,5-dimethylpyrazol-1-yl)methane; bpz*-mpy = pyridin-2-yl-bis(3,5-dimethylpyrazol-1-yl)methane, 174
Silica
Aqueous enantioselective hydrogenations involving silica-heterogenised catalysts, 80
Sodium borohydride
Reaction of (1-azabuta-1,3-diene)tricarbonyliron(0) complexes with sodium borohydride under microwave conditions, 240
(*Z*)-α-Stannyl-1-alkenyl sulfoxide
Stereoselective preparation of (*Z*)-α-stannyl-1-alkenyl sulfoxides via hydrozirconation of acetylenic stannanes, 249
Sulfides
Catalytic applications of F_8BINOL: asymmetric oxidation of sulfides to sulfoxides, 98
Sulfinyl chloride
Stereoselective preparation of (*Z*)-α-stannyl-1-alkenyl sulfoxides via hydrozirconation of acetylenic stannanes, 249
Sulfoxidation
Stereoselective preparation of (*Z*)-α-stannyl-1-alkenyl sulfoxides via hydrozirconation of acetylenic stannanes, 249
Sulfoxides
Catalytic applications of F_8BINOL: asymmetric oxidation of sulfides to sulfoxides, 98

Telluride cluster
Synthesis and molecular structure of $[Fe_3(\mu_2\text{-}H)(\mu_3\text{-}Te)(CO)_9][Cp_2^{\#}Nb(CO)_2]$ ($Cp^{\#} = C_5Me_5$, C_5Me_4Et), 135
Tetrazolato
Synthesis and properties of arylpalladium(II) azido complexes $PdAr(N_3)(PR_3)_2$. Nucleophilic reactions of the azido ligand with CO and with isocyanides to afford Pd(II) isocyanate, *C*-tetrazolate and carbodiimide complexes, 152
Titanium
Synthesis and properties of unsolvated bis(cyclopentadienyl)-titanium alumohydride. Structure of $\{[(\eta^5\text{-}C_5H_5)_2Ti(\mu\text{-}H)]_2[(\eta^5\text{-}C_5H_5)Ti(\mu\text{-}H_2]Al_3(\mu\text{-}H_4)(H)\}_2\cdot C_6H_6$ a 12-nuclear titanium aluminum hydride complex with a short Al–Al bond length, and refined structure of $LiAlEt_4$, 167
Trans-chelating chiral ligand
Asymmetric aldol reaction of 2-cyanopropionates catalyzed by a trans-chelating chiral diphosphine–rhodium(I) complex: highly enantioselective construction of quaternary chiral carbon centers at α-positions of nitriles, 18
Tris(trimethylsilyl)silyl (≡ sisyl)
The first structurally characterised oligosilylmagnesium compound, 185
Tungsten
Chiral molybdenum(VI) and tungsten(VI) 2′-pyridinyl alcoholate complexes. Synthesis, structure and catalytic properties in asymmetric olefin epoxidation, 69
Tungsten hexacarbonyl
Aldol-type condensation reactions of cyclic ketones by the $W(CO)_6/CCl_4$/UV system, 252

p-Xylene
Manganese (I) complexes of *p*-xylene and [2*n*] cyclophanes from a theoretical sight, 225
X-ray study
Direct *ortho*-palladation of 2-phenyl-2-oxazoline: Crystal structure of $Cl_2Pd(\overline{OCH_2CH_2N{=}C}\text{–}Ph)_2$ and $Cl(PPh_3)Pd(\overline{OCH_2CH_2N{=}C}\text{–}C_6H_4)$, 86

Zirconium
Synthesis and characterization of organozirconium complexes bearing a new trianionic multidentate cyclopentadienyl ligand by use of amine elimination, 213